Pendants

2024
Catalogue

Aero

Black finish I Chrome finish I Rose Gold finish I Satin Chrome finish I White finish
Aluminium reflector I Clear cable
Canopy H: 42mm W: 100mm Metal Shade H: 330mm W: 160mm

Model No	Description	Light Source	Dimensions	Comment
AERO1P BLK, CH, RGLD, SC, WHT	1lt Pendant	60w ES Max	H: 335mm + 2.1m cable W: 160mm	Globe not included

Pendants

Arcadia

Black finish I Clear bevelled glass I Black cable
Canopy & Rod H: 160mm W: 107mm

Model No	Description	Light Source	Dimensions	Comment
ARCA1PBLK	1lt Pendant	40w SES Max	H: 325mm + 2m cable/chain W: 190mm	Globe not included
ARCA3PBLK	3lt Pendant	40w SES Max	H: 470mm + 2m cable/chain W: 270mm	Globes not included
ARCA6PBLK	6lt Pendant	40w SES Max	H: 555mm + 2m cable/chain W: 400mm	Globes not included

Pendants

Arcadia

Gold finish I Clear bevelled glass I Clear cable
Canopy & Rod H: 160mm W: 107mm

Model No	Description	Light Source	Dimensions	Comment
ARCA1PGLD	1lt Pendant	40w SES Max	H: 325mm + 2m cable/chain W: 190mm	Globe not included
ARCA3PGLD	3lt Pendant	40w SES Max	H: 470mm + 2m cable/chain W: 270mm	Globes not included
ARCA6PGLD	6lt Pendant	40w SES Max	H: 555mm + 2m cable/chain W: 400mm	Globes not included

Pendants

Arcadia

Satin Chrome finish **I** Clear bevelled glass **I** Clear cable
Canopy & Rod H: 160mm W: 107mm

Model No	Description	Light Source	Dimensions	Comment
ARCA1PSC	1lt Pendant	40w SES Max	H: 325mm + 2m cable/chain W: 190mm	Globe not included
ARCA3PSC	3lt Pendant	40w SES Max	H: 470mm + 2m cable/chain W: 270mm	Globes not included
ARCA6PSC	6lt Pendant	40w SES Max	H: 555mm + 2m cable/chain W: 400mm	Globes not included

Bevo

Charcoal finish **I** Satin Chrome highlight **I** Black cable
White finish **I** Timber look highlight **I** White cable
Canopy H: 25mm W: 100mm Metal Shade H: 220mm W: 240mm

Model No	Description	Light Source	Dimensions	Comment
BEVO1P SC, WHT	1lt Pendant	60w ES Max	H: 350mm + 2m cable W: 240mm	Globe not included

Pendants

Cage

Black finish | Black wire cage | Black cable
Canopy H: 25mm W: 100mm

Model No	Description	Light Source	Dimensions	Comment
CAGE1PSML	1lt Small Pendant	40w ES Max	H: 300mm + 2m cable W: 205mm	Globe not included
CAGE1PMED	1lt Medium Pendant	40w ES Max	H: 285mm + 2m cable W: 270mm	Globe not included
CAGE1PLGE	1lt Large Pendant	40w ES Max	H: 315mm + 2m cable W: 300mm	Globe not included

Cassie

Natural thread shade ❙ Timber look canopy ❙ Brown cloth cable
Batten fix & Table lamp available
Canopy H: 25mm W: 120mm   Small Shade H: 220mm W: 300mm   Large Shade H: 330mm W: 450mm

Model No	Description	Light Source	Dimensions	Comment
CASS1PSMNAT	1lt Small Pendant	60w ES Max	H: 290mm + 1.6m cable W: 300mm	Globe not included
CASS1PLGNAT	1lt Large Pendant	60w ES Max	H: 400mm + 1.6m cable W: 450mm	Globe not included

Clovelly

Black finish **I** Clear curved glass **I** Black cable
Canopy & Rod H: 160mm W: 107mm

Model No	Description	Light Source	Dimensions	Comment
CLOV1PBLK	1lt Pendant	40w SES Max	H: 275mm + 2m cable/chain W: 165mm	Globe not included
CLOV3PBLK	3lt Pendant	40w SES Max	H: 465mm + 2m cable/chain W: 280mm	Globes not included
CLOV6PBLK	6lt Pendant	40w SES Max	H: 555mm + 2m cable/chain W: 400mm	Globes not included

Clovelly

Chrome finish | Clear curved glass | Clear cable
Canopy & Rod H: 160mm W: 107mm

Pendants

Model No	Description	Light Source	Dimensions	Comment
CLOV1PCH	1lt Pendant	40w SES Max	H: 275mm + 2m cable/chain W: 165mm	Globe not included
CLOV3PCH	3lt Pendant	40w SES Max	H: 465mm + 2m cable/chain W: 280mm	Globes not included
CLOV6PCH	6lt Pendant	40w SES Max	H: 555mm + 2m cable/chain W: 400mm	Globes not included

Clovelly

Gold finish I Clear curved glass I Clear cable
Canopy & Rod H: 160mm W: 107mm

Model No	Description	Light Source	Dimensions	Comment
CLOV1PGLD	1lt Pendant	40w SES Max	H: 275mm + 2m cable/chain W: 165mm	Globe not included
CLOV3PGLD	3lt Pendant	40w SES Max	H: 465mm + 2m cable/chain W: 280mm	Globes not included
CLOV6PGLD	6lt Pendant	40w SES Max	H: 555mm + 2m cable/chain W: 400mm	Globes not included

Pendants

Galahad

Black finish I Black mesh cage I Black cable
Canopy H: 25mm W: 100mm

Model No	Description	Light Source	Dimensions	Comment
GALA1PSML	1lt Small Pendant	40w ES Max	H: 335mm + 2m cable W: 180mm	Globe not included
GALA1PMED	1lt Medium Pendant	40w ES Max	H: 230mm + 2m cable W: 250mm	Globe not included
GALA1PLGE	1lt Large Pendant	40w ES Max	H: 255mm + 2m cable W: 360mm	Globe not included

Garman

Black finish I Gold finish I Ribbed Matt Opal Glass I Black cloth cable I Batten Fix available
Canopy H: 25mm W: 90mm

Model No	Description	Light Source	Dimensions	Comment
GARM1P BLK, GLD	1lt Pendant	60w ES Max	H: 410mm + 2m cable W: 205mm	Globe not included

Helena

White finish **I** Matt Opal glass **I** White cloth cable
Canopy H: 20mm W: 120mm   Small glass H: 250mm W: 290mm   Large glass H: 345mm W: 400mm

Model No	Description	Light Source	Dimensions	Comment
HELE1PSWHT	1lt Small Pendant	60w ES Max	H: 315mm + 2m cable W: 290mm	Globe not included
HELE1PLWHT	1lt Large Pendant	60w ES Max	H: 465mm + 2m cable W: 400mm	Globe not included

Hutton

Black finish **I** Gold finish **I** Ribbed Matt Opal Glass **I** Black cloth cable **I** Batten Fix available
Canopy H: 25mm W: 90mm

Model No	Description	Light Source	Dimensions	Comment
HUTT1P BLK, GLD	1lt Pendant	ES Fancy Round	H: 350mm + 2m cable W: 240mm	Globe not included

Inka

Black finish | Gold finish | Black cloth cable | 1lt & 2lt Wall light available
Canopy H: 25mm W: 90mm

Model No	Description	Light Source	Dimensions	Comment
INKA1P BLK, GLD	1lt Pendant	60w ES Max	H: 210mm + 2m cable W: 150mm	Globe not included

Jean

Black finish I Gold finish I Clear glass I Black cloth cable
Canopy H: 25mm W: 90mm

Model No	Description	Light Source	Dimensions	Comment
JEAN1P BLK, GLD	1lt Pendant	60w ES Max	H: 430mm + 2m cable W: 255mm	Globe not included

Jordet

Black finish **I** Black cable **I** Chrome highlights
1lt Canopy H: 25mm W: 100mm **I** 4lt Canopy L: 460mm H: 28mm W: 105mm

Model No	Description	Light Source	Dimensions	Comment
JORD1P	1lt Pendant	40w SES Max	H: 200mm + 2m cable W: 210mm	Globe not included
JORD4P	4lt Pendant	40w SES Max	H: 342mm + 2m cable L: 1370mm W: 210mm	Globes not included

Julia

Black finish I Black cable I Gold decorative ring highlight
Canopy H: 25mm W: 100mm

Model No	Description	Light Source	Dimensions	Comment
JULI1PSBLK	1lt Pendant	40w ES Max	H: 320mm + 2m cable W: 250mm	Globe not included
JULI1PLBLK	1lt Pendant	40w ES Max	H: 260mm + 2m cable W: 350mm	Globe not included

Julia

White finish | White cable | Gold decorative ring highlight
Canopy H: 25mm W: 100mm

Model No	Description	Light Source	Dimensions	Comment
JULI1PSWHT	1lt Pendant	40w ES Max	H: 320mm + 2m cable W: 250mm	Globe not included
JULI1PLWHT	1lt Pendant	40w ES Max	H: 260mm + 2m cable W: 350mm	Globe not included

Krissy

Black finish I Black cable I Gold decorative ball highlight
Canopy H: 25mm W: 100mm

Model No	Description	Light Source	Dimensions	Comment
KRISS1PSBLK	1lt Pendant	40w ES Max	H: 350mm + 2m cable W: 250mm	Globe not included
KRISS1PLBLK	1lt Pendant	40w ES Max	H: 285mm + 2m cable W: 350mm	Globe not included

Pendants

Krissy

White finish I White cable I Gold decorative ball highlight
Canopy H: 25mm W: 100mm

Model No	Description	Light Source	Dimensions	Comment
KRISS1PSWHT	1lt Pendant	40w ES Max	H: 350mm + 2m cable W: 250mm	Globe not included
KRISS1PLWHT	1lt Pendant	40w ES Max	H: 285mm + 2m cable W: 350mm	Globe not included

Olympus

LED **CRI 80** **CCT** **DIMMABLE**

Recommended dimmer:
Clipsal LEDM

Black finish I Clear Crystal look acrylic I Black cable
3lt Canopy H: 40mm W: 180mm 5lt Canopy H: 40mm W: 250mm

Pendants

Model No	Description	Light Source	Lumens	Dimensions
OLYM3PLEDBLK	3lt LED Pendant	3 x (96 x 0.2w) SMD	**3k:** 2242Lm **4k:** 2310Lm **5k:** 2162Lm	H: 78.5mm + 2m cable W: 510mm
OLYM5PLEDBLK	5lt LED Pendant	5 x (96 x 0.2w) SMD	**3k:** 2863Lm **4k:** 3260Lm **5k:** 2997Lm	H: 78.5mm + 2m cable W: 610mm

Pendants

Olympus

LED | CRI 80 | CCT | DIMMABLE

Recommended dimmer:
Clipsal LEDM

Gold finish I Clear Crystal look acrylic I Clear cable
3lt Canopy H: 40mm W: 180mm 5lt Canopy H: 40mm W: 250mm

Model No	Description	Light Source	Lumens	Dimensions
OLYM3PLEDGLD	3lt LED Pendant	3 x (96 x 0.2w) SMD	**3k:** 2242Lm **4k:** 2310Lm **5k:** 2162Lm	H: 78.5mm + 2m cable W: 510mm
OLYM5PLEDGLD	5lt LED Pendant	5 x (96 x 0.2w) SMD	**3k:** 2863Lm **4k:** 3260Lm **5k:** 2997Lm	H: 78.5mm + 2m cable W: 610mm

Olympus

LED **CRI 80** **CCT** **DIMMABLE**

Recommended dimmer:
Clipsal LEDM

White finish I Clear Crystal look acrylic I Clear cable
3lt Canopy H: 40mm W: 180mm 5lt Canopy H: 40mm W: 250mm

Model No	Description	Light Source	Lumens	Dimensions
OLYM3PLEDWHT	3lt LED Pendant	3 x (96 x 0.2w) SMD	**3k:** 2242Lm **4k:** 2310Lm **5k:** 2162Lm	H: 78.5mm + 2m cable W: 510mm
OLYM5PLEDWHT	5lt LED Pendant	5 x (96 x 0.2w) SMD	**3k:** 2863Lm **4k:** 3260Lm **5k:** 2997Lm	H: 78.5mm + 2m cable W: 610mm

Orpheus

Black finish **I** Clear glass **I** Black cloth cable **I** 1lt Wall light available
Canopy H: 17mm W: 116mm Small glass H: 230mm W: 250mm Large glass H: 365mm W: 400mm

| Model No	Description	Light Source	Dimensions	Comment
ORPH1PSBLK	1lt Small Pendant	60w ES Max	H: 280mm + 2m cable W: 250mm	Globe not included
ORPH1PLBLK	1lt Large Pendant	60w ES Max	H: 440mm + 2m cable W: 400mm	Globe not included

Orpheus

Gold finish **|** Clear glass **|** Black cloth cable **|** 1lt Wall light available
Canopy H: 17mm W: 116mm Small glass H: 230mm W: 250mm Large glass H: 365mm W: 400mm

Model No	Description	Light Source	Dimensions	Comment
ORPH1PSGLD	1lt Small Pendant	60w ES Max	H: 280mm + 2m cable W: 250mm	Globe not included
ORPH1PLGLD	1lt Large Pendant	60w ES Max	H: 440mm + 2m cable W: 400mm	Globe not included

Palento

LED | **CRI 84** | **CCT** | **DIMMABLE**

Recommended dimmer:
Clipsal LEDM

Black finish | Black cable
Canopy L: 350mm H: 40mm

Model No	Description	Light Source	Lumens	Dimensions
PALE1PLEDBLK	36w LED Pendant	440 x 0.2w SMD	**3k:** 1751Lm **4k:** 1883Lm **5k:** 1752Lm	L: 1500mm W: 125mm H: 154mm + 2m cable

Palento

LED | **CRI 84** | **CCT** | **DIMMABLE**

Recommended dimmer:
Clipsal LEDM

White finish ∎ Clear cable
Canopy L: 350mm H: 40mm

Model No	Description	Light Source	Lumens	Dimensions
PALE1PLEDWHT	36w LED Pendant	440 x 0.2w SMD	**3k:** 1751Lm **4k:** 1883Lm **5k:** 1752Lm	L: 1500mm W: 125mm H: 154mm + 2m cable

Pendants

Pierre

Black finish I Gold finish I Clear glass I Black cloth cable
Canopy H: 25mm W: 90mm

Model No	Description	Light Source	Dimensions	Comment
PIER1P BLK, GLD	1lt Pendant	60w ES Max	H: 420mm + 2m cable W: 245mm	Globe not included

Porsha

Black finish **|** Crystal drops **|** Black cloth
cable
Canopy H: 40mm W: 136mm

Model No	Description	Light Source	Dimensions	Comment
PORS5P	5lt Pendant	40w SES Max	H: 260mm + 2m cable/chain W: 420mm	Globes not included
PORS8P	8lt Pendant	40w SES Max	H: 260mm + 2m cable/chain W: 720mm	Globes not included

Raglan

Black finish **|** Timber highlight **|** Black cable
Canopy H: 25mm W: 110mm Black Wire Shade H: 350mm W: 330mm

Model No	Description	Light Source	Dimensions	Comment
RAGL1P	1lt Pendant	40w ES Max	H: 485mm + 2m cable W: 330mm	Globe not included

Pendants

Risto

Black finish I Satin Chrome finish I White finish I Clear twisted cable
Canopy H: 25mm W: 100mm Metal Shade H: 160mm W: 285mm

Model No	Description	Light Source	Dimensions	Comment
RIST1P BLK, SC, WHT	1lt Pendant	60w ES Max	H: 215mm + 1.6m cable W: 285mm	Globe not included

Rolo

Black finish with Gold highlight **I** Charcoal finish with Chrome highlight **I** Black cable
Canopy H: 25mm W: 100mm

Model No	Description	Light Source	Dimensions	Comment
ROLO1P BKG, CCH	1lt Pendant	35w GU10 Max	H: 410mm + 2m cable W: 70mm	Globe not included

Stout

Black finish I Black/Clear glass I Black cable
Canopy H: 25mm W: 110mm Glass Shade H: 205mm W: 250mm

Model No	Description	Light Source	Dimensions	Comment
STOU1P	1lt Pendant	40w ES Max	H: 265mm + 2m cable W: 250mm	Globe not included

Pendants

Vista

LED | CRI 80 | CCT | DIMMABLE

Recommended dimmer:
Clipsal LEDM

Black finish | Opal acrylic lens | Black cable
Canopy L: 415mm W: 60mm H: 45mm

Model No	Description	Light Source	Lumens	Dimensions
VIST1PLEDBLK	35w LED Pendant	720 x 0.2w SMD	**3k:** 3427Lm **4k:** 4352Lm **5k:** 3310Lm	L: 1800mm W: 60mm H: 70mm + 2m cable

Pendants

Vista

LED | CRI 80 | CCT | DIMMABLE

Recommended dimmer:
Clipsal LEDM

Gold finish I Opal acrylic lens I Clear cable
Canopy L: 415mm W: 60mm H: 45mm

Model No	Description	Light Source	Lumens	Dimensions
VIST1PLEDGLD	35w LED Pendant	720 x 0.2w SMD	**3k:** 3427Lm **4k:** 4352Lm **5k:** 3310Lm	L: 1800mm W: 60mm H: 70mm + 2m cable

Pendants

Vista

LED · **CRI 80** · **CCT** · **DIMMABLE**

Recommended dimmer:
Clipsal LEDM

White finish **I** Opal acrylic lens **I** Clear cable
Canopy L: 415mm W: 60mm H: 45mm

Model No	Description	Light Source	Lumens	Dimensions
VIST1PLEDWHT	35w LED Pendant	720 x 0.2w SMD	**3k:** 3427Lm **4k:** 4352Lm **5k:** 3310Lm	L: 1800mm W: 60mm H: 70mm + 2m cable

Cougar Lighting

Contact Us

Head Office

Cougar Lighting Pty Ltd
ABN: 17 007 780 270
30 Produce Lane
Pooraka
South Australia 5095

Sales Enquiries

E-Mail: sales@cougarlighting.com.au
Toll Free: 1800 888 517
Phone: 08 8169 2900
Fax: 08 8169 2944

Website

www.cougarlighting.com.au

Over 49 Years of Lighting Excellence

Cougar Lighting History

Cougar Lighting began in a 55 Square metre factory in Norwood, South Australia in 1975. We then moved to a larger premises in West Lakes by the late 1970's, as our market expanded interstate.

With the introduction of its Colonial and Federation ranges in the early 1980's Cougar then shifted to Windsor Gardens. Cougar also invested in a an Electro Plating plant at Para Hills to keep up with demand of its "Made In Australia"
product. In the late 1980's Cougar then moved its factory to Salsibury South and invested in metal spinning and wood lathes.

In the middle of the 1990's Cougar Lighting then moved to Golden Grove where at its peak employed 55 staff members.
The market then started changing with the onset of imported products and the move towards more modern styles of lighting.
The landscape of Lighting was changed forever.

In October 2008 we shifted into our new warehouse at Pooraka, South Australia. At over 3,500 square metres our new warehouse is 3 times the size of our previous warehouse at Golden Grove. This new premises with state of the art warehouse and office facilities will further allow us to continue to supply you, our valued client, with the level of service that you
have become accustomed to when dealing with Cougar Lighting.

49 Years of Lighting Excellence
Cougar Lighting remains and still is a family owned and operated company.

Mike Hanson
Managing Director

www.cougarlighting.com.au

COUGAR
LIGHTING

Cougar Lighting

Warranty

A 1 year warranty applies to all light fixtures that are used in an internal household application. This warranty covers defect of finish or electrical components. It does not cover light globes that come complete with light fixtures supplied by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and that the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 1 year warranty applies to all light fixtures that are used in an internal commercial application. This warranty covers defect of finish or electrical components. It does not cover light globes that come complete with light fixtures supplied by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and that the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 2 year warranty applies to all Cougar Lighting external light fixtures used in a household application will apply as long as the light fixture is not located any closer than 100m from salt water or salt mining. This warranty covers defect of finish or electrical components. It does not cover light globes that come complete with fittings supplied by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and that the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 1 year warranty applies to all Cougar Lighting external light fixtures used in a commercial application will apply as long as the light fixture is not located any closer than 100m from salt water or salt mining. This warranty covers defect of finish or electrical components. It does not cover light globes that come complete with fittings supplied by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and that the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 3 year warranty applies to all LED lighting fixtures that are used in an internal or external household application. This warranty covers defect of finish or electrical components supplied with the fitting by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and that the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 1 year warranty applies to all LED lighting fixtures that are used in a internal or external commercial application. This warranty covers defect of finish or electrical components supplied with the fitting by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and that the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

Cougar's liability during the warranty periods is to repair or replace faulty components or complete fittings without charge as long as returned to the place of purchase, with proof of purchase, and proof of installation by licensed electrician. Cougar will not be liable for re- installation charges unless previously approved in writing by Cougar.

For a full list of our TRADING TERMS & CONDITIONS please refer to our Wholesale Pricelist.

Specifications of light fixtures represented in this catalogue
are subject to change without prior notification.

Cougar Lighting 2024 Catalogue Version 1

View Live Stock Numbers And Delivery Dates At
www.cougarlighting.com.au

Family Owned and Operated Since 1975

www.cougarlighting.com.au

COUGAR
LIGHTING

COUGAR
LIGHTING